



RECOMMENDED SAMPLING INTERVALS

FIRST TRUE LEAF	TAPROOT EXPANSION	TUBER EXPANSION	BULKING	PRE-HARVEST
-----------------	-------------------	-----------------	---------	-------------

* Samples prior to First True Leaf can be of the whole plant.

** Couple 2nd Leaf Analysis with a Soil Analysis to assess root penetration potential.

Beet Leaf Sampling Instructions

1. Collect **NEW (Inside)** leaves and **OLD (Outside)** leaves **SEPARATELY** in individually labeled bags:
 - New = newest recently-mature growth from an interior leaves of the plant
 - Old = oldest still-viable growth from an exterior leaves of the plant
2. Collect a **representative field sample** including one new leaf and one old leaf from ** plants of the same cultivar and growing conditions. Each sample (new and old) should fill a **1qt plastic bag halfway**.
3. **Remove petioles**, and all other non-leaf plant material from sample leaves.
4. Complete a Leaf [Sampling Label](#) (linked) with your contact info, crop, cultivar, field/block info, new/old leaf, and desired agronomy services. Affix labels to the **outside** of each sealed plastic sample bag.
(Do not use paper bags or include paper in bags)
5. **Keep samples viable** by minimizing shipping time and using cold-packs and/or insulated packaging when shipping leaves in warm conditions. Wrap frozen cold-packs in paper to insulate them from direct contact with samples.
6. Mail samples *(including payment if paying with check or money order)* to:

Apical Crop Science LLC
1382 SE 3rd Ave, Suite 4
Canby, OR 97013

DO NOT SEND ANY INTERNATIONAL LEAF, SOIL, OR WATER SAMPLES WITHOUT PRIOR WRITTEN APPROVAL FROM APICAL.

TIPS FOR BEST RESULTS:

- Request Apical's [Agronomy Services](#) for nutrient *Target Range Charts* and *Detailed Recommendations*.
- Include notes about growth stage, health, pests/disease, and other points that will help us serve you.
- Be proactive by conducting 5-7 Leaf Extract Analyses throughout the growing (recommended sampling intervals listed in the table above).
- Solve stress, pests, or toxicities by testing and treating weekly until optimal health is achieved.
- Collect leaves at a consistent time of day, preferably prior to 10 a.m. to ensure minimal transpiration - about two hours after sunrise is optimal. For indoor, sample within one hour of light cycle start.
- Ensure leaves are clean of dew, dirt, and fertilizers - wash with clean, cold, non-chlorinated water if needed.
- Ensure leaves are surface-dry (not dried out) before bagging - use a paper towel or air-dry if needed.

*Please do NOT leave paper towels (or anything that will dry out leaves) in bags with samples.